keep critical elements
inside gray box
to avoid distortion

## Xclaim 3 Quad Pyramid Kit 1

Panel A (1x1 Pyramid Flat Diamond Panel)
Total Graphic Area: 42.75"w x 42.75"h
Finished Size: 38.75"w x 38.75"h

Panels B and C
(1x1 Pyramid Single Twist Diamond Panels):
Total Graphic Area: 46"w x 42.75"h
Finished Size: 42"w x 38.75"h

Please be sure to include a 2" bleed around the perimeter of the graphic

Please note that this template does not show the obstructions that may occur due to the graphic twisting. Please also note that there will be some distortion on these graphics once they are mounted to the frame due to the stretch of the material.

The front and back connections are color coded on this template to represent how the graphic will be mounted to the frame.

Front Connection

Back Connection

## General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

# A

trim line
bleed area

# B

GRAPHIC WILL BE DISTORTED
DO NOT DESIGN
CRITICAL ELEMENTS
SUCH AS TEXT
ON THIS PANEL

# C

GRAPHIC WILL BE DISTORTED
DO NOT DESIGN
CRITICAL ELEMENTS
SUCH AS TEXT
ON THIS PANEL

## Xclaim 3 Quad Pyramid Kit 1

Panel A (1x1 Pyramid Flat Diamond Panel)
Total Graphic Area: 42.75”w x 42.75”h
Finished Size: 38.75”w x 38.75”h

Panels B and C
(1x1 Pyramid Single Twist Diamond Panels):
Total Graphic Area: 46”w x 42.75”h
Finished Size: 42”w x 38.75”h

Please be sure to include a 2” bleed around the perimeter of the graphic

Please note that this template does not show the obstructions that may occur due to the graphic twisting. Please also note that there will be some distortion on these graphics once they are mounted to the frame due to the stretch of the material.

The front and back connections are color coded on this template to represent how the graphic will be mounted to the frame.

Front Connection

Back Connection



# A

keep critical elements inside gray box to avoid distortion

## General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

trim line

bleed area

**General**

- CMYK Colo
- All Solid Co
  be called ou
- Embed all i
- Resolution
- All fonts mu
- Do not scal
- Backgroun
  bleed to th
- Do not use
  in your artw

bl

# B

GRAPHIC WILL BE DISTORTED
DO NOT DESIGN
CRITICAL ELEMENTS
SUCH AS TEXT
ON THIS PANEL

delines:

colors should
s spot colors
pport files
120 ppi
d to outlines

s must
board
om template
vill not print

ne
ea

C

GRAPHIC WILL BE DISTORTED
DO NOT DESIGN
CRITICAL ELEMENTS
SUCH AS TEXT
ON THIS PANEL